

Mouse monoclonal, clone: SPC-2F4-5B11

Catalog: M2020 Pack Size: 100µg

Secreted protein acidic and rich in cysteine (SPARC), aka osteonectin, *UniProt # P09486*, is a glyocproetin secreted by a variety of cells and tumors. The biological functions of SPARC vary and include tissue remodeling as well as apoptosis. SPARC is considered a tumor inihbitor in various cancers such as breast, colorectal, pancreatic, and ovarian.

Description	
Immunogen	E. coli-derived recombinant human SPARC
Reactivity	Human
Source	Mouse monoclonal IgG ₁
Purification	Protein G purified from hybridoma cell culture supernatant
Applications	ELISA, IP, WB
Formulation	Lyophilized from PBS with Trelahose Reconstitute in 100μL ddH ₂ 0 to 1 mg/mL
Shipping	Ambient
	5 years at -20°C to -80°C as supplied
Storage	1 month at 4°C after reconstitution with preservative
	1 year at -20°C to -80°C after reconstitution
Expiration	See lot specific CoA
SPARC SPARCE SPA	Human SPARC Luminex Assay Capture: Human SPARC monoclonal clone SPC-2F4-5B11 (Cat # M2020) Detection: Human SPARC monoclonal clone SPC-5H7-2C3 (Cat # M2021) Antigen: Recombinant human SPARC, E. coli expressed
188kDa- 62kDa- 49kDa- 38kDa- 28kDa-	Immunoprecipitation of native human SPARC SDS PAGE 4-12%, reducing conditions Blocking: 5% NFDM, PBS Sample: Human SPARC purified from human serum with M2020 Blot was probed with 2µg/mL M2020 followed by HRP detection antibody. Human SPARC was detected at 40kDa.
For Research Use Only	

For Research Use Only