


Interleukin 6 (IL-6) is a soluble cytokine that can effect inflammation, immune response, and hematopoiesis. IL-6 signals through IL-6R, which can occur as a transmembrane or a soluble receptor that is found in serum. IL-6 is generated immediately following environmental stresses such as infections and tissue injuries. Dysregulation of IL-6, which can lead to over production, may contribute to chronic inflammation and autoimmunity.

Description	
Source	HEK293, Met1-Asn212, with C-terminal His Tag
Uniprot	A0A1U7QW01
Purity	>95% by SDS-PAGE
Predicted Molecular Mass	26.1 kDa
SDS-PAGE	24.4-38.5 kDa
Formulation	Lyophilized from 1X PBS with Trehalose
Preparation and Storage	
Reconstitution	Reconstitute at 25 µg/mL in sterile PBS containing at least 0.1% protein
Shipping	Ambient
Storage	5 years at -80°C; 2 years at -20°C or 4°C Upon reconstitution: 5 years at -80°C; 2 years at -20°C
Expiration	See lot specific CoA
	Hamster IL-6 (2µg) on a Coomassie stained 4-12% SDS-PAGE gel, reducing conditions

For Research Use Only

AMPERSAND BIOSCIENCES, LLC

6459 State Route 30, Lake Clear, NY 12945 | PHONE: (518) 891 0204 | info@ampersandbio.com

Rev.1